



## Thermal Clip-On Hunt650 Pro



# Technical Specifications

ThermTec Technology Co., Ltd. Email: info@thermeyetec.com Website: https://www.thermeyetec.com









#### HUNT 650 Pro

#### **Key Features**

- 640x512 thermal resolution, NETD≤15mK;
- 1920x1080@4.5μm with 0.39-inch OLED display;
- Lightweight of 399g and compact design;
- 2 Replaceable & rechargeable batteries with up to 6 hours each one;
- Self-learning image correction;
- Ultra-long image stability;
- Target detection range up to 2600m;
- Magnesium alloy housing;
- Reticle in playback;
- Audio and recoil-activated video supported;
- Wireless remote control;
- App connection via Wi-Fi supported;
- Clear Image with up to 18x day scope compatibility;
- Ultra-precise 1.1cm@100m click value for enhanced zeroing accuracy;
- 2-in-1 flexible transformation from a clip-on into a thermal imaging monocular;

#### **Applications**

- Night hunting
- Observation
- Rescue operations
- Hiking & traveling

### Specifications

Model	Hunt650Pro	
Microbolometer		
Type	Uncooled	
Resolution	640x512	
Pixel pitch	12μm	
NETD	≤15mK	
Spectral range	8-14µm	
Frame rate	50HZ	
Detection Range	2600m	
Optics		
Objective lens	50mm/F1.0	
Field of view	8.8°x7.0°	
Recommended magnification of the day scope	1-18X	
Magnification	X1	
Display		
Туре	AMOLED	
Resolution, pixel	1920x1080@4.5μm	
Display size	0.39 inch	

Function		
Max. recoil power on rifled weapon	6000J	
Image calibration	Via Shutter	
USB interface	Type-C	
Video Recorder		
Photo/video playback	Yes	
Inbuilt memory	64GB	
Interface		
Type C	Data Transfer, battery charging	
Wi-Fi	Yes	
Bluetooth	Yes, Remote control	
Battery		
Replaceable battery	6h	
Environment		
Body Material	Magnesium Alloy	
Connection Thread	M52×0.75	
Operating temperature	-20~ +50°C	
IP rating	IP67	
Weight, g	399g	
Size, mm	124(L)x70(W)x77(H)	

#### **Accessories**



Hunt650 pro (x1)



Remote control (x1)



USB cable (x1)



Lens cloth (x1)



User manual (x1)

#### **Dimension**

Unit: mm

